Press TAB to move to input areas. Press UP or DOWN ARROW in select

Energy Consumption and Greenhouse Gas Emissions Reporting - for 2011

Fiscal Year commencing (if school year) enter month year to match with calendar year: Mar-01, 2011 to Feb-29, 2012

Type of Public Agency (District): School Boards

Agency Sub-sector: School Board

Please fill in the mandatory fields indicated in red, in addition to subentries

Organization Name: Simcoe Muskoka District School Board

Operation Name and/or Unique Identifier	Operation Type	Address	City	Postal Code	Total Floor Area of the Indoor Space in which Operation is Conducted (m2)	Year Built	Year Reg Last Reno	Source Of Reno Data	Energy Type and Amount Purchased and Consumed in Natural Unit: Electricity	Natural Gas	Fuel Oil No 2	Fuel Oil No 6	Propane	Coal	Wood	District Heating	Renewable Energy?	Is anther renewable on site?	District Cooling	Emissions (tonnes GHG)	Intensity (ekWh/m2)	Comments
Cameron Martyrs	School	7 Bentom Rd	Penetanguishene	L9M1K8	37,661.06 Square Feet	60 Na			243,222.00 kWh	37,490.00 Cubic metre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	83,392.97	12.35
Catholic Education Centre	Admin	46 Alliance Blvd	Barrie	L4M5K3	21,128.21 Square Feet	70 Na			401,822.00 kWh	6,989.00 Cubic metre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	65,399.37	22.95
Father F.X. O'Reilly	School	209 Queen St. North, P.O. Box 5070	Tottenham	L0G1W0	34,917.67 Square Feet	60 Na	8.00		355,361.25 kWh	25,273.37 Cubic metre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	87,194.92	18.63
Roley	School	2192 Concession Road 4	Ramara	L0K1B0	14,679.62 Square Feet	60 Na			69,602.62 kWh	0.00 Cubic metre	25,776.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	91,809.98	26.99 oil heating
Our Lady of Angels	School	9 Ste Marie St	Barrie	L4N1K1	42,000.00 Square Feet	60 Na	1.00		327,000.00 kWh	0.00 Cubic metre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	0.00	0.00 School closed in 2012
Holy Cross	School	910 Lucas St	Innisfil	L9S3B6	47,661.83 Square Feet	60 Na			357,661.00 kWh	31,600.00 Cubic metre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	99,558.05	12.12
Holy Family	School	180 King St S	New Tecumseth	L9R1B9	41,861.37 Square Feet	60 Na	3.00		476,867.00 kWh	3,129.30 Cubic metre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	67,872.76	12.19 Year round daycare
Holy Trinity HS	School	100 Melbourne Cr, P.O. Box 895	Bradford	L3G3E3	79,135.12 Square Feet	70 Na	10.00		639,630.00 kWh	60,963.07 Cubic metre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	Yes	0.00	261,680.85	25.95 Chiller system
Jean Vanier HS	School	160 Collins St	Collingwood	L9Y3R1	89,739.68 Square Feet	70 Na	9.00		1,060,919.99 kWh	91,958.34 Cubic metre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	309,970.67	30.60 Year round daycare
Lake Simcoe Alternative	School	1000 Ste Marie St	Bradford West Gwillimbury	L3Z0A1	14,000.00 Square Feet	60 Na			70,000.00 kWh	0.00 Cubic metre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	0.00	0.00
Monsignor Castex	School	120 Penetanguishene Rd	Midland	L4R4L3	29,600.98 Square Feet	60 Na	3.00		226,367.00 kWh	23,238.11 Cubic metre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	73,599.09	18.50
Monsignor Clair	School	349 Livingstone St S	Barrie	L4M7B5	50,364.33 Square Feet	60 Na			300,618.82 kWh	54,128.81 Cubic metre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	143,399.47	17.79 Year round daycare
Monsignor J.S. Renan	School	15 Lilly St S	New Tecumseth	L0G1A0	41,790.32 Square Feet	60 Na	9.00		365,120.00 kWh	34,987.00 Cubic metre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	99,538.84	16.14
Monsignor Lee	School	14 Pillsen Wa	Orillia	L3V2H8	26,927.09 Square Feet	60 Na	6.00		0.00 kWh	0.00 Cubic metre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	0.00	0.00 Under construction
Monsignor Michael O'Leary	School	1 Ste Marie St	Bracebridge	P1L1N3	29,000.00 Square Feet	60 Na	2.00		299,000.00 kWh	0.00 Cubic metre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	0.00	0.00 Year round daycare
Mother Teresa	School	110 Nantyglo Dr	Bradford West Gwillimbury	L3Z0A4	35,000.00 Square Feet	60 Na	5.00		253,960.00 kWh	34,740.00 Cubic metre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	98,356.54	16.78
Notre Dame	School	30 Pillsen Wa	Orillia	L3V2H8	43,233.35 Square Feet	60 Na	2.00		396,679.76 kWh	36,305.19 Cubic metre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	119,803.61	18.53
Our Lady of Grace	School	1 Ste Marie St	Barrie	L4N1K1	42,000.00 Square Feet	60 Na	1.00		327,000.00 kWh	0.00 Cubic metre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	0.00	0.00
Our Lady of Guadlie	School	24 Elvin St	Springwater	L9L1P1	39,000.00 Square Feet	60 Na	5.00		179,000.27 kWh	19,989.00 Cubic metre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	62,108.82	15.92
Our Lady of Mercy	School	2686 Honey Harbour Rd	Georgian Bay	P0E1X0	13,600.63 Square Feet	60 Na			84,928.39 kWh	0.00 Cubic metre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	13,993.64	6.18 Wind Turbine
Our Lady of the Assumption	School	4820 County Road 9, R.R.#1	New Lowell	L0M1N0	9,017.04 Square Feet	60 Na	6.00		62,205.17 kWh	0.00 Cubic metre	16,036.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	21,628.04	27.07 oil heating
Patrick Fogarty SS	School	15 Commerce Rd	Orillia	L3V6E1	115,159.32 Square Feet	70 Na	11.00		1,176,419.99 kWh	62,213.00 Cubic metre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	307,936.87	18.12
Pope Francis	School	1 Ste Marie St	Barrie	L4N1K1	42,000.00 Square Feet	60 Na			327,000.00 kWh	0.00 Cubic metre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	0.00	0.00
Pope John Paul II	School	211 Ashland Dr	Barrie	L4M6L3	57,410.01 Square Feet	60 Na	16.00		450,328.00 kWh	50,262.00 Cubic metre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	Yes	0.00	232,038.72	26.98 Boilers being replaced in '13
Sacred Heart	School	241 Elizabeth St	Midland	L4R1T5	36,768.28 Square Feet	60 Na	2.00		187,451.26 kWh	40,866.21 Cubic metre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	102,422.23	17.18
Saint Gabriel the Archangel	School	120 Prince William Way	Barrie	L4M7G4	49,968.26 Square Feet	60 Na			269,604.00 kWh	37,663.14 Cubic metre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	117,995.23	15.21
Saint Peter	School	1 Ste Marie St	Barrie	L4N1K1	42,000.00 Square Feet	60 Na	3.00		327,000.00 kWh	0.00 Cubic metre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	Yes	0.00	0.00	0.00 Wind Turbine
Sister Catherine Donnelly	School	133 Hanmer S R	Barrie	L4M4W3	47,656.13 Square Feet	60 Na	2.00		375,267.18 kWh	45,707.00 Cubic metre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	130,679.64	18.07 Year round daycare
St Anne	School	9 Dunlop St	Penetanguishene	L9M1J2	31,151.28 Square Feet	60 Na	3.00		281,812.00 kWh	17,981.98 Cubic metre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	90,743.39	18.72 Year round daycare
St Antoine Daniel	School	495 Park St	Tay	L0K0K0	26,564.23 Square Feet	60 Na			222,279.00 kWh	26,972.10 Cubic metre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	77,899.69	17.95
St Bernadette	School	255 Collard St	Orillia	L3V7H6	23,549.60 Square Feet	60 Na	4.00		0.00 kWh	0.00 Cubic metre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	0.00	0.00 Under Construction
St Charles	School	1 Ste Marie St, P.O. Box 719	Bracebridge	P1L1N3	29,000.00 Square Feet	60 Na	3.00		185,000.00 kWh	0.00 Cubic metre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	Yes	0.00	0.00	0.00 Boilers being replaced in '13
St Dominic's SS	School	995 Cedar Lane, R.R. #2	Bracebridge	P1L1T6	83,135.21 Square Feet	70 Na	8.00		951,362.62 kWh	93,369.00 Cubic metre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	237,091.06	38.55
St Francis of Assisi	School	1097 Anne Mack Ave	Innisfil	L9S1W2	40,959.51 Square Feet	60 Na	7.00		692,111.26 kWh	48,402.45 Cubic metre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	180,932.90	28.72 Year round daycare (and high allergy issue
St Jean Brebeuf	School	1 Ste Marie St	Barrie	L4N1K1	42,000.00 Square Feet	60 Na	1.00		327,000.00 kWh	0.00 Cubic metre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	Yes	0.00	0.00	0.00
St Jean de Brebeuf	School	150 Killian Park Ave	Bradford West Gwillimbury	L3Z0K1	29,664.53 Square Feet	60 Na	1.00		253,960.00 kWh	20,200.00 Cubic metre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	73,603.23	15.77
St John Vianney	School	393 Innisfil St	Barrie	L4N3X7	24,773.23 Square Feet	60 Na	1.00		190,903.00 kWh	26,898.01 Cubic metre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	71,098.72	17.95
St Joseph's SS	School	243 Cundles Rd E	Barrie	L4M6L1	131,217.63 Square Feet	70 Na	6.00		1,226,355.11 kWh	64,187.14 Cubic metre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	327,618.78	16.97
St Marguerite D'Youville	School	240 Kachin St	Barrie	L4N7H6	40,849.22 Square Feet	60 Na	9.00		429,009.99 kWh	42,993.12 Cubic metre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	139,871.41	21.99 Year round daycare
St Mark's	School	1 Ste Marie St	Barrie	L4N1K1	42,000.00 Square Feet	60 Na	1.00		327,000.00 kWh	0.00 Cubic metre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	Yes	0.00	0.00	0.00 Wind Turbine
St Mary's	School	18 Saunders St	Collingwood	L9Y3R9	41,961.48 Square Feet	60 Na	1.00		261,889.00 kWh	19,003.31 Cubic metre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	Yes	0.00	67,993.89	11.00 Wind Turbine
St Mennais	School	90 Stroud St	Barrie	L4M2E9	43,206.34 Square Feet	60 Na			267,272.73 kWh	51,915.37 Cubic metre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	129,705.54	16.49
St Nicholas	School	1005 Laughland Rd	Barrie	L4M6E6	55,443.90 Square Feet	60 Na			364,812.74 kWh	32,489.00 Cubic metre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	111,041.60	13.16
St Noel Chabanel	School	429 Ranchwood Dr	Wasaga Beach	L9Z	27,231.60 Square Feet	60 Na			250,356.21 kWh	43,951.91 Cubic metre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	101,664.89	30.87 heating 100% fresh air
St Pio of Pietrelcina	School	1 Ste Marie St	Barrie	L4N1K1	42,000.00 Square Feet	60 Na	3.00		327,000.00 kWh	0.00 Cubic metre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	Yes	0.00	0.00	0.00 Wind Turbine
St Peter's	School	201 Ashland Dr	Barrie	L4M6K3	165,001.08 Square Feet	70 Na	12.00		1,548,950.17 kWh	76,750.00 Cubic metre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	Yes	0.00	305,535.76	15.19 Year round daycare
St Theresa's SS	School	347 Galloway Blvd	Midland	L4R8E2	142,516.05 Square Feet	70 Na	4.00		1,243,145.31 kWh	99,998.27 Cubic metre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	349,924.63	16.18
St Thomas Aquinas	School	2 Notre Rd, P.O. Box 3000	Tottenham	L0G1W0	125,185.85 Square Feet	70 Na	9.00		1,063,854.88 kWh	79,475.00 Cubic metre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	Yes	0.00	292,251.67	15.21 Small Chiller system
St. Bernadette	School	101 Marksfee Dr	Barrie	L4N8P6	50,133.29 Square Feet	60 Na	3.00		277,005.72 kWh	29,702.31 Cubic metre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	81,831.44	11.82
St. Elizabeth of Siena	School	1 Ste Marie St	Barrie	L4N1K1	42,000.00 Square Feet	60 Na	1.00		327,000.00 kWh	0.00 Cubic metre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	Yes	0.00	0.00	0.00 Wind Turbine
St. Juan of Ac	School	665 Mapleton Ave	Barrie	L4M4C2	199,029.19 Square Feet	70 Na	16.00		1,362,360.99 kWh	105,979.00 Cubic metre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	Yes	0.00	454,038.62	18.45 Church useage / Wind Turbine
St. Michael the Archangel	School	349 Big Bay Point Rd	Barrie	L4S8K2	49,764.90 Square Feet	60 Na	6.00		369,964.82 kWh	57,912.38 Cubic metre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	166,167.39	19.70 Year round daycare
St. Paul's	School	1 Ste Marie St, P.O. Box 2	Midland	L4R1K1	42,000.00 Square Feet	60 Na			327,000.00 kWh	0.00 Cubic metre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	Yes	0.00	0.00	0.00
St. Pius X	School	100 Johnny A. McQuay Avenue	Alliston	L9R0G5	12,011.00 Square Feet	60 Na			309,231.00 kWh	17,218.00 Cubic metre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	12,749.62	10.35
St. Peter the Apostle Catholic School	School	19 Silver Birch Court	Parry Sound	P2A2A5	25,122.97 Square Feet	60 Na			171,862.24 kWh	25,386.25 Cubic metre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	62,243.45	15.19 Wind Turbine
The Good Shepherd	School	23 Coughlin Dr	Barrie	L4N7T2	43,166.80 Square Feet	60 Na	4.00		267,262.39 kWh	38,364.06 Cubic metre	0.00 Litre	0.00 Litre	0.00 Litre	0.00 Metric tonne	0.00 Metric tonne	0.00 Giga Joule - steam or hot water	No	0.00	0.00 Giga Joule - chilled water	No	0.00	106,428.78	16.10

16.93 Average energy intensity(ekg $